

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34301	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 23:04
L2	9982	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 23:19
L3	1888	L1 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 23:19
S1	9978	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:09
S2	2992	S1 and @ad< "20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:10
S3	5	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:10
S4	7345	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:11
S5	1983	S4 and @ad< "20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:12
S6	780	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3)	US-PGPUB; USPAT;	OR	OFF	2011/11/21 19:16

		with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S7	149	S6 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:16
S8	8	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:35
S9	2	S8 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:36
S10	0	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3 near2 order\$2) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:36
S11	2	(automatica\$5) near4 print\$3 with (event\$3 trigger\$3 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:37
S12	67976	(automatic\$5 near5 print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:37
S13	27272	S12 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:37
S14	9	(automatic\$5 near5 print\$3) with (when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:38
S15	37	(automatica\$5 with (generat\$3 creat\$3 request\$3) with (print\$3) with (event\$3 trigger\$3 setting\$2 parameter\$2 attribute\$2) with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:47
S16	4	S15 and @ad<"20000110"	US-PGPUB; USPAT;	OR	OFF	2011/11/21 19:47

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S17	7220	(inventory\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:48
S18	1566	S17 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:48
S19	290	(inventory\$3 same monitor\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:49
S20	70	S19 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:49
S21	672	(inventory\$3).ti. and (print\$3) and (automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:50
S22	117	S21 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:50
S23	56	(automatically\$5 with print\$3 with new\$2 near2 order\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:01
S24	4	S23 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:05
S25	128	(figure\$3 near2 "138" same automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:08
S26	0	S25 and @ad<"20000110"	US-PGPUB; USPAT;	OR	OFF	2011/11/21 20:08

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S27	23398	automatically\$3 same "138"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:09
S28	3702	S27 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:09
S29	3571	automatically\$3 with "138"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:10
S30	1032	S29 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:10
S31	39	automatically\$3 with "138" with figure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:10
S32	1	S31 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:10
S33	0	automatically\$3 with "138" with fig	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:11
S34	12	automatically\$3 with fig	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:16
S35	9	S34 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:16
S36	0	automatically\$3 with "fig."	US-PGPUB; USPAT;	OR	OFF	2011/11/21 20:17

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S37	2378	automatically\$3 with "133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:17
S38	594	S37 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:17
S39	3955	(automatically\$3 with print\$3 with order\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:18
S40	1195	S39 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:28
S41	298	(automatically\$3 with print\$3 with criteria\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:45
S42	34	S41 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:45
S43	0	automatically\$3 with (generat\$3 creat\$3 request\$2) with print\$3 with when	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:49
S44	2364746	automatically\$3 print\$3 with when	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:49
S45	0	automatically\$3 with print\$3 with when	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:49
S46	2625	automatically\$3 near4 print\$3 near5 (parameter\$2 attribut\$3	US-PGPUB; USPAT;	OR	OFF	2011/11/21 20:50

		setting\$3 request\$3)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S47	2849	automatically\$3 near4 print\$3 near5 (parameter\$2 attribut\$3 setting\$3 request\$3 event\$3 trigger\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:50
S48	793	S47 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:51
S49	303	(automatically\$3 with print\$3 with subscriber\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 21:55
S50	96	S49 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 21:55
S51	810	(automatically\$3 with print\$3 with event\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 21:58
S52	193	S51 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 21:58
S53	6	(automatically\$3 with (generat\$3 creat\$3 request\$3) with print\$3 with based\$2 near5 event\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:00
S54	2902	(automatically\$3 with (generat\$3 creat\$3 request\$3) with print\$3 and database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:01
S55	465	S54 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:01
S56	495	(creat\$3 generat\$3) near4 print\$3 near2 (order\$3 request\$3) with	US-PGPUB; USPAT;	OR	OFF	2011/11/21 22:14

		(event\$3 trigger\$3 setting\$3 parameter\$3 attribut\$3)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S57	81	S56 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:14
S58	17633	automatically\$3 same "133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:23
S59	1302	automatically\$3 same "133" and database\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:24
S60	722	automatically\$3 same "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:24
S61	96	S60 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:24
S62	67	auto\$3 same print\$3 with new\$2 same event\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:25
S63	10	S62 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:25
S64	326	automatically\$3 with "138" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:26
S65	48	S64 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:26
S66	275	automatically\$3 with "133" and database\$2 and print\$3	US-PGPUB; USPAT;	OR	OFF	2011/11/21 22:28

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S67	32	S66 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:28
S68	69	(print\$3 with order\$2 with event\$3 with occur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:29
S69	10	S68 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:29
S70	141	(generat\$3 creat\$3) with (print\$3 near5 (order\$3 request\$3) with (predetermined\$3 based\$3) near4 (event\$3 setting\$3 attribut\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:32
S71	15	S70 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:33
S72	123	event\$3 near4 base\$3 near5 printing\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:36
S73	19	S72 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:36
S74	60	(print\$3 same (change\$3 new\$2) same sale\$3 near4 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:40
S75	3	S74 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:40
S76	42	(automatically\$3 with print\$5 with (chang\$3 new\$2) near5	US-PGPUB; USPAT;	OR	OFF	2011/11/21 23:51

		database\$3)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S77	3	S76 and @ad<"20000110"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 23:52
S78	7365	(automatically\$3 and "133" and "138" and database\$2 and print\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:36
S79	946	S78 and @ad<"20000110"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:37
S80	776	S79 and network\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:37
S81	355	(automatically with shown\$2 with "133")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:39
S82	57	S81 and @ad<"20000110"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:39
S83	381	(automatically with shown\$2 with "138")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:39
S84	112	S83 and @ad<"20000110"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:40
S85	116398	(automatically and print\$3 and database\$2 and network\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:41
S86	11015	S85 and @ad<"20000110"	US-PGRUB; USPAT;	OR	OFF	2011/11/22 00:41

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S87	79289	(automatically and print\$3 and database\$2 and event\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:41
S88	8547	S87 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:41
S89	73572	(automatically and print\$3 and database\$2 and event\$3) and generat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:43
S90	43206	(automatically and print\$3 and database\$2 and event\$3) and generat\$3 and setting\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:43
S91	4689	S90 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:43
S92	62	("5383112").URPN.	USPAT	OR	OFF	2011/11/22 00:49
S93	31	(print\$3 with based\$3 with event\$3 with predetermined\$3)	USPAT	OR	OFF	2011/11/22 00:51
S94	13	S93 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:52
S95	34	(trigger\$3 near5 event\$3 same sales\$3 near4 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:54
S96	0	S95 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:54
S97	7	(automatically\$3 with order\$3 with new\$3 near4 business\$3 near5 card\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2011/11/22 00:55

			DERWENT; IBM_TDB			
S98	143	(automatically\$3 with order\$3 with change\$2 with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:58
S99	17	S98 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:58
S100	3	("6405178").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 12:14
S101	46	("6405178").URPN.	USPAT	OR	OFF	2011/11/22 12:18
S102	0	S101 and @ad<"20000110"	USPAT	OR	OFF	2011/11/22 12:23
S103	11	("4992940" "5091713" "5533079" "5808643" "5638519" "5808894" "5893076" "5930771" "6188991" "6233565" "6249774").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/11/22 12:24
S104	2	("6453268").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 12:30
S105	2	("6798997").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 12:34
S106	325	(automatically\$5 with purchase\$3 with print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:12
S107	64	S106 and @ad<"20000110"	USPAT	OR	OFF	2011/11/22 13:13
S108	76	(automatically\$5 with print\$3 with selected\$3 near4 item\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:19
S109	10	S108 and @ad<"20000110"	USPAT	OR	OFF	2011/11/22 13:19
S110	3	(sales\$3 near5 database\$3) with	USPAT	OR	OFF	2011/11/22

		((print\$3) with (automatically\$3)				13:27
S111	4	(sales\$3 near5 database\$3) with (print\$3) with (automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:27
S112	2	("5563999").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:35
S113	0	(automatically\$3 with send\$3 with statement\$3 with new\$3 near4 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:38
S114	46	(automatically\$3 same send\$3 same statement\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:39
S115	2	S114 and @ad< "20000110"	USPAT	OR	OFF	2011/11/22 13:39
S116	46	(automatically\$3 same send\$3 same statement\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:39
S117	4320	(automatically\$3 same send\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:40
S118	442	S117 and @ad< "20000110"	USPAT	OR	OFF	2011/11/22 13:40
S119	1162	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:40
S120	1162	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:40
S121	131	S120 and @ad< "20000110"	USPAT	OR	OFF	2011/11/22 13:41
S122	44	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same home\$3 near2 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2011/11/22 13:41

			IBM_TDB			
S123	44	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same home\$3 near2 address\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/22 13:41
S124	0	S123 and @ad<"20000110"	USPAT	OR	OFF	2011/11/22 13:41
S125	2	("5563999").PN.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 17:32

11/ 22/ 2011 11:23:09 PM

C:\Users\tpham12\Documents\Red%20Folder\09479913\EASTSearchHistory\09479913_AccessibleVersion.htm[11/22/2011 11:23:25 PM]